

આણંદ કૃષિ યુનિવર્સિટી સાધનોની ખરીદી અંગેની જાહેરાત



અત્રેના કેન્દ્ર ખાતે નીચેની વિગતે ફાર્મ મશીનરી ખરીદ કરવાની હોઇ રસ ધરાવતા ઉત્પાદકો તેમજ અધિકૃત વિક્રેતાઓ પાસેથી ભાવો મંગાવવામાં આવે છે.

ક્રમ	સાધનનું નામ	અંદાજીત	ક્રમ	સાધનનું નામ	અંદાજીત
		જથ્થો			જથ્થો
		(નંગ)			(નંગ)
٩	ડબલ રોલ જીનીંગ મશીન	5	٧	ટ્રેક્ટર ડ્રોન વોટર ટેન્કર	٩
5	ડીલીન્ટીંગ મશીન	5	ч	હાઇડ્રોલીક ટ્રેક્ટર ટ્રેઇલર	٩
3	સીડ ક્લીનર	٩	S	VST SHAKTI 130 DI પાવર ટીલર	٩

ભાવપત્રકો ફક્ત સ્પીડ પોસ્ટ કે રજીસ્ટર્ડ પોસ્ટથી જ સીલ બંધ કવરમાં તા.<u>૯-૨-૨૦૧૫</u> સુધીમાં નીચેના સરનામે મોકલવાના રહેશે.

ઉપરોક્ત સાધનોની સ્પેશીફીકેશન તથા જરૂરી વિગતો સાથેનું ટેન્ડર ફોર્મ આણંદ કૃષિ યુનિવર્સિટીની વેબસાઇટ www.aau.in ઉપર જોઇ શકાશે.

સહ સંશોધન વૈજ્ઞાનિક વિભાગીય કપાસ સંશોધન કેન્દ્ર આણંદ કૃષિ યુનિવર્સિટી, વિરમગામ -૩૮૨૧૫૦

For	officia	l use	only

Tender No:	Signature:	Date of Issue:	

TENDER FORM for Farm Machinery

DOWNLOADED FROM WEBPAGE

REGIONAL COTTON RESEARCH STATION

ANAND AGRICULTURAL UNIVERSITY

VIRAMGAM - 382150 (GUJARAT)

Tel. / Fax No.: 02715-233014

•	Name of suppli	er / firm:
•	Complete posta	al address:
•	Telephone Nun	nber:
•	FAX Number (if e-mail address Details of Tend	(if any):
	0	D. D. Number : Amount : Date :
•	Details of EMD:	
	0	D. D. Number : Amount : Date :
•	Sales Tax No. :	
•	Registration No	h.:
•	VAT No.:	
•	PAN No.:	
•	Any other detai	ils:
	We agree to ab	ide by the terms and conditions of supply mentioned in this tender document

Signature of Tenderer (With Stamp, Name & Designation)

Brief Specifications of Farm Machinery

1. Hydraulic Tractor Trailer

(a)

2

•			
	ze - 11' x 6' and height 21''		
	ottom Plate	5 mm	
	ottom Support	13-15 N	
	ain Channel	6" x 3"	
	ıb Channel	4" x 2"	
	nbossed doors in one piece - ydraulic Pump (auto finished color)	4 mm	
	yuradiic Pump (auto iinished color) yre size	900 x 1	• •
	kel - Standard heavy 75 mm with 4		
	•	_	documents. The rates should be for F.O.R.
		-	d should include all applicable taxes, duties,
	ansportation, transit insurance and	_	• • •
Ra	ate:		
(1) For above mentioned Hydraulic t	ractor tra	ailor ₹
(2) For accessories if any (Specify na	me):	
	(a)		₹
Tra	octor drawn Water Tanker		
Cai	pacity 4500	-5000 ltr.	
	•	5" heavy	
		•	folding cover for insert water, back side:- 3"
			e stand(10') and stair, T stand attached, stand
	oil engine, auto finish colour with		,
	re - 900 x 16,	•	
Ax	el - Standard heavy 75 mm with ste	el hub of	of 19 kg in wt.
			documents. The rates should be for F.O.R.
			should include all applicable taxes, duties,
tra	nsportation, transit insurance and	other cha	arges.
Ra	te:		
1.	For above mentioned Water Tank	er	₹
2.	For accessories (Specify name):		

3 Delinting Machine

Model	Mini (laboratory purpose)	
Saws	36 (approx.)	
With Brush cylinder, Control panel, wires etc.		
_	to run this machine. The machine should be c	=
	seed mechanically. The machine should be preset	
	should be for F.O.R. University station located at ble taxes, duties, transportation, transit insurance	_
charges.	ble taxes, duties, transportation, transit insurance	and other
charges.		
Rate:		
1. For above mentioned de	linting machine ₹	
2. For accessories if any (Sp	ecify name):	
(a)	₹	
(b)	₹	
(c)	₹	
Seed Cleaner		
The Seed Cleaner/ G	ader should be suitable for cleaning and grading of	f Ginned /
Delinted Cotton seed. Suitab	lity for processing of other cereals, pulses, oilseed	ds, spices,
vegetable crops & forage cro	os would be an additional advantage. It should con	sist of air
screen mechanism with suita	ble screen changing facilities and air flow adjustm	ents. The
noise level should be within	standard recommended acceptable limit. If the	cleaner/
grader is fulfilling BIS standar	ds, a copy of the testing report, from any of the Go	vernment
Testing Centre should also be	included.	
The maximum level of a	llowable impurities for designated capacity should	be clearly
	be mounted on strong and sturdy framework of hi	
structural frame. The electric	al requirements of horse power should be mentione	ed.
	'3' years on-site free repairing/ servicing facilities.	
	Grader has to be first demonstrated at our Viramga	
•	ns/ sieves and other required accessories should b	
	be for F.O.R. university station located at Viram	-
· · · · · ·	taxes, duties, transportation, transit insurance a	_
• •	nis Cleaner/ Grader for Delinted Cotton at present sl	
be included.	d. d	
Rate:		
	d Cleaner/ Grader ₹	
 For accessories (Specify na 		
(a)	₹	

	(b)	₹	
	(c)	₹	
5	Double Roller Gin Machine		
	above Ginning Machine, 4 Nos.'V' Belt Bolts for Motor & Machine, 2 Nos. Moto RPM electrical Motor of reputed compa Nos., Electrical wire - 30 to 40 feet elect be complete in all respect. The rates	ng Machine, 12 Gauge Heavy Auto Feeder for Motor and Auto Feeder, 4+4 Nos. Founder Rail, Double Groove Pulley for Motor, 5 HP, my, Starter and Panel Board - 1 nos., Roll Starical wire for connection. DR Gin machine schould be for F.O.R. university station locatible taxes, duties, transportation, transit insu	lation 1440 naft-2 hould ed at
	Rate:		
	1. For above mentioned DR Gin Machin	• ₹	
	2. For accessories if any (Specify name)	:	
	(a)	₹	
	(b)	₹	
	(c)	₹	
6	Power Tiller VST SHAKTI 130DI		
	MODEL - VST SHAKTI 130DI		
	ENGINE Horizontal 4 stroke Single cylinder Wat 1900 rpm, Max. HP as per IS 13539 Cranking, Lighting System -12 volts / 35 TILLER MODEL - CT 85 Type - Side drive rotary transmission	er cooled Diesel engine. Max. Torque - 4.2 l 1996 -13.0 HP@2400rpm. Starting System - watts, Std. Pulley (DIA) -100 mm/optional 120 Forward: 6 Speeds, Reverse 2 Speeds, Ro Multiple Plate, Dry disc type, Brake: Hand De Type.	Hand Omm,
	ENGINE Horizontal 4 stroke Single cylinder Wat 1900 rpm, Max. HP as per IS 13539 Cranking, Lighting System -12 volts / 35 TILLER MODEL - CT 85 Type - Side drive rotary transmission Speeds (Optional 4 Speeds), Clutch:	1996 -13.0 HP@2400rpm. Starting System -watts, Std. Pulley (DIA) -100 mm/optional 120 Forward: 6 Speeds, Reverse 2 Speeds, Rowerse Plate, Dry disc type, Brake: Hand be Type.	Hand Omm,
	ENGINE Horizontal 4 stroke Single cylinder Wat 1900 rpm, Max. HP as per IS 13539 Cranking, Lighting System -12 volts / 35 TILLER MODEL - CT 85 Type - Side drive rotary transmission Speeds (Optional 4 Speeds), Clutch: operated internal expanding metallic Sh OVERALL DIMENSIONS - Length * Width	1996 -13.0 HP@2400rpm. Starting System -watts, Std. Pulley (DIA) -100 mm/optional 120 Forward: 6 Speeds, Reverse 2 Speeds, Rowald Speeds, Brake: Hand De Type. * Height 2320 mm x 810 mm x 1300 mm station located at Viramgam and should incluse.	Hand Omm,
	ENGINE Horizontal 4 stroke Single cylinder Wat 1900 rpm, Max. HP as per IS 13539 Cranking, Lighting System -12 volts / 35 TILLER MODEL - CT 85 Type - Side drive rotary transmission Speeds (Optional 4 Speeds), Clutch: operated internal expanding metallic Sh OVERALL DIMENSIONS - Length * Width The rates should be for F.O.R. university applicable taxes, duties, transportation,	1996 -13.0 HP@2400rpm. Starting System -watts, Std. Pulley (DIA) -100 mm/optional 120 Forward: 6 Speeds, Reverse 2 Speeds, Rowald Plate, Dry disc type, Brake: Hand be Type. * Height 2320 mm x 810 mm x 1300 mm station located at Viramgam and should inclustransit insurance and other charges.	Hand Omm,
	ENGINE Horizontal 4 stroke Single cylinder Wat 1900 rpm, Max. HP as per IS 13539 Cranking, Lighting System -12 volts / 35 TILLER MODEL - CT 85 Type - Side drive rotary transmission Speeds (Optional 4 Speeds), Clutch: operated internal expanding metallic Sh OVERALL DIMENSIONS - Length * Width The rates should be for F.O.R. university applicable taxes, duties, transportation, Rate:	1996 -13.0 HP@2400rpm. Starting System -watts, Std. Pulley (DIA) -100 mm/optional 120 Forward: 6 Speeds, Reverse 2 Speeds, Rowald Plate, Dry disc type, Brake: Hand De Type. * Height 2320 mm x 810 mm x 1300 mm station located at Viramgam and should inclustransit insurance and other charges.	Hand Omm,

(b)	₹
(c)	₹

Terms and Conditions for supply of Farm Machineries:

- 1. Rates quoted should be inclusive of all applicable Taxes and F.O.R. our office at Viramgam inclusive of packing, forwarding, insurance, installation, commissioning and demonstration.
- 2. Validity of the quotation should be up to 31st March 2015.
- 3. Required quantity of the above goods/ machinery may vary in numbers as per budgetary provisions but at present, each farm machinery is required in one quantity, except DR Gin machine and delinting machine in two nos.
- 4. Goods/ machinery should be supplied along with credit bill in duplicate. Payment towards credit bill through Cheque will be paid only after accounting procedure.
- 5. Payment shall be made only after satisfactory installation and demonstration. No advance or part payment or payment through bank can be entertained.
- 6. Tender forms only from original manufacturers and/or their authorized dealers/ stockiest who are in the concerned field will be considered. Certificates in respect of authorized dealership to the dealer by their Principals should invariably be attached along with tender. The manufacturers should submit undertaking/ certificate of manufacturing for the items specified by them.
- 7. The credentials of the party, list of customers and complete illustrated literature should be enclosed with the tender form. The firm should be ready for pre-inspection of the item and its performance, if necessary.
- 8. Catalogue of each quoted product with exact specifications must be attached with the quotation.
- 9. In case of defective items, the same shall have to be replaced by the party concerned at its own cost, and risk, and within stipulated time.
- 10. Being an education institution we are eligible for exemption of excise duty/ custom duty.
- 11. Duly filled tender forms in sealed envelopes through <u>Speed post / RPAD post</u> should reach the office of the <u>Associate Research Scientist</u>, <u>Regional Cotton Research Station</u>, <u>Anand Agricultural</u> University, Viramgam 382150 Dist. Ahmedabad before **17.00 hrs.** on **09/02/2015**.
- 12. Please superscribe the envelope, "Rates for Farm Machinery" and clearly mention senders' name and address.
- 13. The University shall be empowered to reject any one or all the tenders without giving any reason for doing the same. This shall not be challengeable in the Court. In case of disputes, decision of Vice Chancellor, Anand Agricultural University, Anand will be final and acceptable to all the parties.

- 14. While submitting your tender please write your Central Sales Tax, Sales Tax, TIN No. and PAN No. etc. and complete address of your firm, failing which the tender will be rejected.
- 15. **Tender form fee is Rs. 500/-.** Those downloading the tender form from our website, must submit Tender Form Fee by DD in favour of "Anand Agricultural University fund account" along with the tender form. **Earnest money deposit for tender is approximately 3% of the quoted price** and if, order is placed, you have to pay security deposit of 5% after receiving the order, which will be refunded after installation and testing of equipment.
- 16. Earnest money should be paid in form of bank DD only in favour of "Anand Agricultural University fund account" and DD should be enclosed with tender form.
- 17. In event of dispute regarding any matter related to acceptance or rejection of tender or consideration of tender for purchase order, decision of University Authority shall remain final.

Manufacturer/Dealer's signature:	
Manufacturer/Dealer's Name	
Address with phone nos.	

Above terms and conditions are accepted in toto by me.